# Certificate of Analysis

**ANALYZED BY:**
Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

**CUSTOMER:**
Kiva Products, LLC
2300 N Loop Rd
Alameda 94502
n/a

**MANUFACTURER:**
Atlantic Candy Company
St Augustine
St Augustine 32086

## SAMPLE INFORMATION

**Sample No.:** 1409867
**Product Name:** Kiva Camino Sours Hemp Orchard Peach
**Matrix:** Edible (Gummy)
**Lot #:** KV23260506-53723

**Date Collected:** 05/08/2026
**Date Received:** 05/11/2026
**Date Reported:** 05/15/2026

## TEST SUMMARY

| | | | |
|---|---|---|---|
| **Cannabinoid Profile:** | Tested | **Microbiological Screen:** | Pass |
| **Pesticide Residue Screen:** | Pass | **Residual Solvent Screen:** | Pass |
| **Heavy Metal Screen:** | Pass | **Mycotoxin Screen:** | Pass |
| **Water Activity:** | Pass | | |

## Cannabinoid Profile Tested

*05/12/2026*

**Method:** MF-CHEM-15
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)
**Limit of Detection** 0.0333 mg/g
**Limit of Quantitation** 0.1000 mg/g
**Measurement of Uncertainty Average:** ±6.3%

| Cannabinoid | mg/g | % | mg/serving |
|---|---|---|---|
| Δ8-THC | ND | ND | ND |
| Δ9-THC | 2.54 | 0.254 | 9.92 |
| Δ9-THCA | ND | ND | ND |
| THCV | ND | ND | ND |
| THCVA | ND | ND | ND |
| CBD | 2.56 | 0.256 | 9.99 |
| CBDA | ND | ND | ND |
| CBC | ND | ND | ND |
| CBCA | ND | ND | ND |
| CBDV | ND | ND | ND |
| CBG | <LOQ | <LOQ | <LOQ |
| CBGA | ND | ND | ND |
| CBN | ND | ND | ND |
| Exo-THC | ND | ND | ND |
| (6aR,9R)-Δ10-THC | ND | ND | ND |
| (6aR,9S)-Δ10-THC | ND | ND | ND |
| 9(R)-Hexahydrocannabinol | ND | ND | ND |
| 9(S)-Hexahydrocannabinol | ND | ND | ND |
| Δ8-THC-O-Acetate | ND | ND | ND |
| Δ9-THC-O-Acetate | ND | ND | ND |
| THC-O-Phosphate | NT | NT | NT |
| Δ8-THCP | ND | ND | ND |
| Δ9-THCP | ND | ND | ND |
| Total Δ9-THC | 2.54 | 0.254 | 9.92 |
| Total THC | 2.54 | 0.254 | 9.92 |
| Total CBD | 2.56 | 0.256 | 9.99 |
| Total Cannabinoids | 5.10 | 0.510 | 19.90 |
| Sum of Cannabinoids | 5.10 | 0.510 | 19.90 |
| **Serving Weight (g)** | 3.9 | | |

Total Δ9-THC = Δ9-THC + (0.877 * THCA)
Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

## Microbiological Screen ✔ Pass

*05/15/2026*

**Measurement of Uncertainty Average:** APC ±35.6%, Y&M ±31.3%

| Analyte | Findings | Units | Method | Limit | Status |
|---|---|---|---|---|---|
| Salmonella | ND | /10g | AOAC 2016.01 | ND | Pass |
| STEC | ND | /10g | MF-MICRO-18 | ND | Pass |
| Aspergillus flavus | ND | /10g | MF-MICRO-14 | ND | Pass |
| Aspergillus fumigatus | ND | /10g | MF-MICRO-14 | ND | Pass |
| Aspergillus niger | ND | /10g | MF-MICRO-14 | ND | Pass |
| Aspergillus terreus | ND | /10g | MF-MICRO-14 | ND | Pass |
| Listeria Species | ND | /10g | AOAC 2016.07 | ND | Pass |
| Total Aerobic Plate Count | <10 | cfu/g | FDA BAM | 100000 | Pass |
| Total Coliforms | <10 | cfu/g | FDA BAM - ECC Agar | 100 | Pass |
| E. Coli | ND | /1g | FDA BAM Modified | ND | Pass |
| Total Enterobacteriaceae | <10 | cfu/g | AOAC 2003.01 | ND | Pass |
| Staphylococcus aureus | <10 | cfu/g | AOAC 2003.07 | ND | Pass |
| Total Yeast and Mold | <10 | cfu/g | AOAC 2014.05 | 10000 | Pass |

## Pesticide Residue Screen ✔ Pass

*05/15/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty Average:** ±21.40%

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Abamectin | 0.015/0.05 | ND | 0.05 | Pass |
| Acephate | 0.003/0.01 | ND | 0.01 | Pass |
| Acequinocyl | 0.003/0.01 | ND | 0.01 | Pass |
| Acetamiprid | 0.003/0.01 | ND | 0.01 | Pass |
| Aldicarb | 0.003/0.01 | ND | 0.01 | Pass |
| Azoxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenazate | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenthrin | 0.003/0.01 | ND | 0.01 | Pass |
| Boscalid | 0.003/0.01 | ND | 0.01 | Pass |
| Captan | 0.250/0.7 | ND | 0.7 | Pass |
| Carbaryl | 0.003/0.01 | ND | 0.01 | Pass |
| Carbofuran | 0.003/0.01 | ND | 0.01 | Pass |
| Chlorantraniliprole | 0.003/0.01 | ND | 0.01 | Pass |
| Chlordane | 0.020/0.06 | ND | 0.06 | Pass |
| Chlorfenapyr | 0.015/0.05 | ND | 0.05 | Pass |
| Chlorpyrifos | 0.003/0.01 | ND | 0.01 | Pass |
| Clofentezine | 0.003/0.01 | ND | 0.01 | Pass |
| Coumaphos | 0.003/0.01 | ND | 0.01 | Pass |
| Cyfluthrin | 0.015/0.05 | ND | 0.05 | Pass |
| Cypermethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Daminozide | 0.003/0.01 | ND | 0.01 | Pass |
| DDVP (Dichlorvos) | 0.003/0.01 | ND | 0.01 | Pass |
| Diazinon | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethoate | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethomorph | 0.003/0.01 | ND | 0.01 | Pass |
| Ethoprop(hos) | 0.003/0.01 | ND | 0.01 | Pass |
| Etofenprox | 0.003/0.01 | ND | 0.01 | Pass |
| Etoxazole | 0.003/0.01 | ND | 0.01 | Pass |
| Fenhexamid | 0.007/0.02 | ND | 0.02 | Pass |
| Fenoxycarb | 0.003/0.01 | ND | 0.01 | Pass |
| Fenpyroximate | 0.007/0.02 | ND | 0.02 | Pass |
| Fipronil | 0.003/0.01 | ND | 0.01 | Pass |
| Flonicamid | 0.003/0.01 | ND | 0.01 | Pass |
| Fludioxonil | 0.003/0.01 | ND | 0.01 | Pass |
| Hexythiazox | 0.003/0.01 | ND | 0.01 | Pass |
| Imazalil | 0.003/0.01 | ND | 0.01 | Pass |
| Imidacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Kresoxim Methyl | 0.003/0.01 | ND | 0.01 | Pass |
| Malathion | 0.003/0.01 | ND | 0.01 | Pass |
| Metalaxyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methiocarb | 0.003/0.01 | ND | 0.01 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Methomyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methyl parathion | 0.003/0.01 | ND | 0.01 | Pass |
| Mevinphos | 0.007/0.02 | ND | 0.02 | Pass |
| Myclobutanil | 0.003/0.01 | ND | 0.01 | Pass |
| Naled | 0.003/0.01 | ND | 0.01 | Pass |
| Oxamyl | 0.003/0.01 | ND | 0.01 | Pass |
| Paclobutrazol | 0.003/0.01 | ND | 0.01 | Pass |
| Pentachloronitrobenzene | 0.003/0.01 | ND | 0.01 | Pass |
| Permethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Phosmet | 0.003/0.01 | ND | 0.01 | Pass |
| Piperonyl Butoxide | 0.003/0.01 | ND | 0.01 | Pass |
| Prallethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Propiconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Propoxur | 0.003/0.01 | ND | 0.01 | Pass |
| Pyrethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Pyridaben | 0.003/0.01 | ND | 0.01 | Pass |
| Spinetoram | 0.003/0.01 | ND | 0.01 | Pass |
| Spinosad | 0.003/0.01 | ND | 0.01 | Pass |
| Spiromesifen | 0.003/0.01 | ND | 0.01 | Pass |
| Spirotetramat | 0.003/0.01 | ND | 0.01 | Pass |
| Spiroxamine | 0.003/0.01 | ND | 0.01 | Pass |
| Tebuconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Thiacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Thiamethoxam | 0.003/0.01 | ND | 0.01 | Pass |
| Trifloxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Azadirachtin | 0.100/0.30 | ND | 0.3 | Pass |
| Chlormequat Chloride | 0.03/0.10 | ND | 0.1 | Pass |
| MGK 264 | 0.03/0.10 | ND | 0.1 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

## Residual Solvent Screen ✔ Pass

*05/15/2026*

**Method:** MF-CHEM-32

**Measurement of Uncertainty Average:** ±1.43%

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---|---|---|---|---|
| Propane | 67/200 | ND | 210 | Pass |
| (+/-)-2-Butanol | 13.3/40 | ND | 5000 | Pass |
| 1,1-Dichloroethene | 2/4 | ND | 8 | Pass |
| 1,2-Dichloroethane | 0.2/0.5 | ND | 5 | Pass |
| 1,4-Dioxane | 13.3/40 | ND | 30 | Pass |
| 2-Ethoxyethanol | 13.3/40 | ND | 160 | Pass |
| Acetone | 67/200 | ND | 500 | Pass |
| Acetonitrile | 67/200 | ND | 410 | Pass |
| Benzene | 0.2/0.5 | ND | 1 | Pass |
| Chloroform | 0.2/0.5 | ND | 2 | Pass |
| Cumene | 13.3/40 | ND | 70 | Pass |
| Cyclohexane | 13.3/40 | ND | 3880 | Pass |
| Ethanol | 67/200 | ND | 5000 | Pass |
| Ethyl acetate | 67/200 | ND | 1000 | Pass |
| Ethyl ether | 67/200 | ND | 5000 | Pass |
| Ethylene Glycol | 13.3/40 | ND | 620 | Pass |
| Ethylene oxide | 0.2/0.5 | ND | 5 | Pass |
| n-Heptane | 67/200 | ND | 500 | Pass |
| Isopropyl Acetate | 13.3/40 | ND | 5000 | Pass |
| Isopropyl alcohol | 67/200 | ND | 500 | Pass |
| Methanol | 67/200 | ND | 500 | Pass |
| Methylene chloride | 0.2/0.5 | ND | 600 | Pass |
| Toluene | 67/200 | ND | 53 | Pass |
| Tetrahydrofuran | 13.3/40 | ND | 720 | Pass |
| Trichloroethene | 13.3/40 | ND | 80 | Pass |
| Isobutane | 6.7/20 | ND | - | See Total Butanes |
| n-Butane | 67/200 | ND | - | See Total Butanes |
| Total Butanes | 6.7/40 | ND | 500 | Pass |
| 2,2-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2,3-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2-Methylpentane | 2.7/8 | ND | - | Pass |
| 3-Methylpentane | 2.7/8 | ND | - | Pass |
| n-Hexane | 67/200 | ND | - | See Total Hexanes |
| Total Hexanes | 2.7/8 | ND | 18 | Pass |
| 2 Methylbutane | 4.4/13.34 | ND | - | See Total Pentanes |
| Neopentane | 4.4/13.34 | ND | - | See Total Pentanes |
| n-Pentane | 67/200 | ND | - | See Total Pentanes |
| Total Pentanes | 4.4/13.34 | ND | 500 | Pass |
| Ethylbenzene | 3.3/10 | ND | - | See Total Xylenes |
| m+p-Xylene | 6.7/20 | ND | - | See Total Xylenes |
| o-Xylene | 3.3/10 | ND | - | See Total Xylenes |
| Total Xylenes | 67/200 | ND | 217 | Pass |

## Heavy Metal Screen ✔ Pass

*05/15/2026*

**Method:** MF-CHEM-16

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

**Measurement of Uncertainty Average:** ±4.4%

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---|---|---|---|---|
| Arsenic | 0.033/0.101 | ND | 0.2 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.2 | Pass |
| Mercury | 0.014/0.05 | ND | 0.1 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

## Mycotoxin Screen ✔ Pass

*05/15/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty (MU):** ±20.21%

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|---|---|---|---|---|
| Aflatoxin B1 | 2/5 | ND | 5 | Pass |
| Aflatoxin B2 | 2/5 | ND | 20 | Pass |
| Aflatoxin G1 | 2/5 | ND | 20 | Pass |
| Aflatoxin G2 | 2/5 | ND | 20 | Pass |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 2/5 | ND | 5 | Pass |

## Water Activity ✔ Pass

*05/15/2026*

**Method:** MF-CHEM-14

**Instrument:** Water Activity Meter

| Analyte | Findings | Limit | Status |
|---|---|---|---|
| Water Activity | 0.68 | 0.85 | Pass |

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by

Vu Lam
Lab Co Director

Scan to verify



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

# Cannabis Potency Report

## <Sample Information>

| | | | |
|---|---|---|---|
| Sample Name | : 1409867A 5x | | |
| Sample ID | : run035 | | |
| Data Filename | : 1409867A 5x_run035_005.lcd | | |
| Method Filename | : CanEX1_260505_CP5-26,-27.lcm | | |
| Batch Filename | : 05-11-2026 processed.lcb | | |
| Vial # | : 1-21 | Sample Type | : Unknown |
| Injection Volume | : 5 uL | | |
| Date Acquired | : 5/11/2026 8:11:38 PM | Acquired by | : System Administrator |
| Date Processed | : 5/11/2026 8:43:45 PM | Processed by | : System Administrator |
| Sample Amount | : 2.6541 grams | | |
| Dilution Factor | : 250 | | |

## <Cannabinoid Chromatogram>




## <Peak Table>

PDA Ch1 228nm

| Peak# | Ret. Time | Name | Area | Height | Conc. | Unit |
|---|---|---|---|---|---|---|
| 1 | 2.350 | CBG | 3730 | 1551 | 0.0694 | mg/g |
| 2 | 2.505 | CBD | 129765 | 53927 | 2.5505 | mg/g |
| 3 | 4.630 | Delta9-THC | 118059 | 30060 | 2.5334 | mg/g |

# Cannabis Potency Report

## <Sample Information>

| | | | |
|---|---|---|---|
| Sample Name | : 1409867B 5x | | |
| Sample ID | : run036 | | |
| Data Filename | : 1409867B 5x_run036_006.lcd | | |
| Method Filename | : CanEX1_260505_CP5-26,-27.lcm | | |
| Batch Filename | : 05-11-2026 processed.lcb | | |
| Vial # | : 1-22 | Sample Type | : Unknown |
| Injection Volume | : 5 uL | | |
| Date Acquired | : 5/11/2026 8:24:59 PM | Acquired by | : System Administrator |
| Date Processed | : 5/11/2026 8:43:18 PM | Processed by | : System Administrator |
| Sample Amount | : 2.6313 grams | | |
| Dilution Factor | : 250 | | |

## <Cannabinoid Chromatogram>




## <Peak Table>

PDA Ch1 228nm

| Peak# | Ret. Time | Name | Area | Height | Conc. | Unit |
|---|---|---|---|---|---|---|
| 1 | 2.350 | CBG | 3571 | 1523 | 0.0668 | mg/g |
| 2 | 2.505 | CBD | 129687 | 53992 | 2.5711 | mg/g |
| 3 | 4.627 | Delta9-THC | 117870 | 30040 | 2.5513 | mg/g |