

JBS II, LLC

811 W NEW ORLEANS ST
BROKEN ARROW, OK 74011
nbunting@stashhousedistro.com
(918) 271-0032
Lic. #

Sample: 2409OKCTL3181.33967


Strain: BROOKIE BAR 100MG
Batch#: CRBL-HD9-BB100-I2405; Batch Size: g; External Lot ID:
Sample Received: 09/12/2024; Report Created: 09/19/2024

Sample Weight: 1 units

CRBL-HD9-BB100-I2405

Ingestible, Baked Goods;
Harvest Process Lot:

To verify authenticity of this report please scan the QR code to see the original certificate of analysis data.



Summary

Test	Result
Cannabinoids	Complete
Terpenes	Complete
Residual Solvents	Pass
Microbials	Pass
Mycotoxins	Pass
Pesticides	Pass
Heavy Metals	Pass

Terpenes

Instrument: GC-MS
Analyst: MP

Analyte	Reporting Limit	Mass	Analyte	Reporting Limit	Mass
	%	%		%	%
3-Carene	0.100	ND	γ-Terpinene	0.100	ND
α-Bisabolol	0.100	ND	Geraniol	0.100	ND
α-Humulene	0.100	ND	Limonene	0.100	ND
α-Pinene	0.100	ND	Linalool	0.100	ND
α-Terpinene	0.100	ND	Nerolidol	0.100	ND
β-Caryophyllene	0.100	ND	(-)-Guaiol	0.100	ND
β-Myrcene	0.100	ND	(-)-Isopulegol	0.100	ND
β-Pinene	0.100	ND	p-Cymene	0.100	ND
Camphene	0.100	ND	Terpinolene	0.100	ND
Caryophyllene Oxide	0.100	ND	trans-Ocimene	0.100	ND
cis-Ocimene	0.100	ND	Phytol		ND
Eucalyptol	0.100	ND	Total		0.000

Cannabinoids

Instrument: HPLC
Analyst: MP

11.20 mg/unit Total THC	0.52 mg/unit Total CBD	11.72 mg/unit Total Cannabinoids
-----------------------------------	----------------------------------	--

Analyte	Reporting Limit	Mass	Mass
	mg/unit	mg/unit	mg/g
CBC	0.12	ND	ND
CBD	0.12	0.52	0.04
CBDa	0.12	ND	ND
CBDV	0.12	ND	ND
CBG	0.12	<LOQ	<LOQ
CBGa	0.12	ND	ND
CBN	0.12	ND	ND
Δ8-THC	0.12	ND	ND
Δ9-THC	0.12	11.20	0.91
THCa	0.12	ND	ND
THCV	0.12	ND	ND
THCVa	0.12	ND	ND
Total		11.72	0.95

1 Unit = 12.30g
Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

NT
Not Tested
Moisture

NT
Not Tested
Water Activity

3158 S 108th E Ave Suite 290
Tulsa, OK
(918) 872-7015
http://www.okctl.com
Lic# LAAA-N1FX-P5VY



P/JLA
Testing
ISO/IEC 17025:2017
Accreditation No. 108270

C. Alleman
Cole Alleman
Medical Lab Director



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This product has been tested by Oklahoma Compliance Testing Lab, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Oklahoma Compliance Testing Lab, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Oklahoma Compliance Testing Lab, LLC.

JBS II, LLC

811 W NEW ORLEANS ST
BROKEN ARROW, OK 74011
nbunting@stashhousedistro.com
(918) 271-0032
Lic. #

Sample: 2409OKCTL3181.33967

Strain: BROOKIE BAR 100MG
Batch#: CRBL-HD9-BB100-I2405; Batch Size: g; External Lot ID:
Sample Received: 09/12/2024; Report Created: 09/19/2024

Sample Weight: 1 units

CRBL-HD9-BB100-I2405

Ingestible, Baked Goods;
Harvest Process Lot:

To verify authenticity of this report please scan the QR code to see the original certificate of analysis data.



NT Not Tested	NT Not Tested	
Moisture	Water Activity	

Microbials		Instrument: qPCR/Plating	Pass	
Analyte	Limit	Mass	Status	
	CFU/g	CFU/g		
Aspergillus flavus		Absent	Pass	
Aspergillus fumigatus		Absent	Pass	
Aspergillus niger		Absent	Pass	
Aspergillus terreus		Absent	Pass	
Salmonella		Absent	Pass	
Shiga Toxin E. Coli	1	ND	Pass	
Yeast & Mold	10000	ND	Pass	

Pesticides		Instrument: LC-MS/MS	Pass	
Analyte	Reporting Limit	Limit	Mass	Status
	PPM	PPM	PPM	
Abamectin	0.250	0.500	ND	Pass
Azoxystrobin	0.100	0.200	ND	Pass
Bifenazate	0.100	0.200	ND	Pass
Etoazole	0.100	0.200	ND	Pass
Imazalil	0.100	0.200	ND	Pass
Imidacloprid	0.200	0.400	ND	Pass
Malathion	0.100	0.200	ND	Pass
Myclobutanil	0.100	0.200	ND	Pass
Permethrins		0.200	ND	Pass
Spinosad		0.200	ND	Pass
Spiromesifen	0.100	0.200	ND	Pass
Spirotetramat	0.100	0.200	ND	Pass
Tebuconazole	0.200	0.400	ND	Pass

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Residual Solvents		Instrument: GC/FID	Pass	
Analyte	Reporting Limit	Limit	Mass Status	
	PPM	PPM	PPM	
Acetone	50.0	1000.0	ND	Pass
Benzene	1.0	2.0	ND	Pass
Butanes	500.0	1000.0	ND	Pass
Ethanol	2500.0		ND	Tested
Ethyl-Acetate	500.0	1000.0	ND	Pass
Heptanes	500.0	1000.0	<LOQ	Pass
Isopropanol	500.0	1000.0	ND	Pass
m+p Xylene	25.0		ND	Tested
Methanol	300.0	600.0	ND	Pass
n-Hexane	30.0	60.0	ND	Pass
o-Xylene	25.0		ND	Tested
Pentane	500.0	1000.0	ND	Pass
Propane	500.0	1000.0	ND	Pass
Toluene	90.0	180.0	ND	Pass
Xylenes	215.0	430.0	ND	Pass

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals		Instrument: ICP-MS	Pass	
Analyte	Reporting Limit	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.100	1.500	ND	Pass
Cadmium	0.100	0.500	ND	Pass
Lead	0.250	1.000	ND	Pass
Mercury	0.050	1.500	ND	Pass

Update Metals footnote: LOQ = Limit of Quantitation; ND=Not detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins		Instrument: LC-MS/MS	Pass	
Analyte	Reporting Limit	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	10.000	20.000	ND	Pass
B1			ND	Tested
B2			ND	Tested
G1			ND	Tested
G2			ND	Tested
Ochratoxin A	10.000	20.000	ND	Pass

3158 S 108th E Ave Suite 290
Tulsa, OK
(918) 872-7015
http://www.okctl.com
Lic# LAAA-N1FX-P5VY



PJLA
Testing
ISO/IEC 17025:2017
Accreditation No.: 108270

C. Alleman
Cole Alleman
Medical Lab Director



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This product has been tested by Oklahoma Compliance Testing Lab, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Oklahoma Compliance Testing Lab, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Oklahoma Compliance Testing Lab, LLC.