



CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU GMY.D9.SAPPR10	BATCH # IE12	SERVING SIZE 1 Gummy (5g)
PRODUCT NAME Sour Apple Rosin THC Gummies	LABORATORY SC Labs OR, Anresco	

POTENCY	PER SERVING		PER GRAM	
Cannabidiol (CBD)	10.6	mg/serving	2.13	mg/g
Total THC (d9-THC, THCA)	9.57	mg/serving	1.91	mg/g
Cannabigerol (CBG)	0.05	mg/serving	0.01	mg/g
Cannabinol (CBN)	<LOQ	mg/serving	<LOQ	mg/g
Cannabichromene (CBC)	0.085	mg/serving	0.017	mg/g
Tetrahydrocannabinolic Acid (THCA)	0.205	mg/serving	0.041	mg/g
Delta-9-THC (d9-THC)	9.39	mg/serving	1.88	mg/g
Delta-8-THC (d8-THC)	0.18	mg/serving	0.036	mg/g

HEAVY METALS	PER GRAM		REGULATORY ACTION LEVEL
Arsenic	<LOQ	µg/g	1.5 µg/g
Cadmium	<LOQ	µg/g	0.5 µg/g
Lead	<LOQ	µg/g	0.5 µg/g
Mercury	<LOQ	µg/g	3.0 µg/g

RESIDUAL SOLVENTS	PER GRAM		REGULATORY ACTION LEVEL
Ethanol ^[1]	285	µg/g	5,000 µg/g
Heptane	<LOQ	µg/g	5,000 µg/g

None of the other residual solvents tested were found above the regulatory action level.

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Total Aerobic Bacteria	Pass

PESTICIDES
None of the 50+ pesticides tested were found above the limit of detection.



1. LOQ: Limit of Quantitation
Ethanol is a food additive used in some of our ingredients. The FDA has labeled ethanol as Generally Recognized as Safe (GRAS). Many foods contain trace amounts of ethanol, including soy sauce, pasta sauces, fruits and juices, etc. Our products contain safe levels of ethanol and always below pertinent regulatory action levels.

Sample Name: **GMV.D9.SAPPR10-IE12**
 Tested for: **Lazarus Naturals-Oregon**
Quality Control Testing

Laboratory ID: 26E0176-01

Matrix: Products

Sample Metrc ID: N/A

Lot # IE12

Batch RFID: N/A

Batch Size: N/A

Harvest Date: N/A

License: NA


Date Sampled: 05/28/26 00:00


Date Accepted: 05/28/26



Result Summary

ANALYSIS	VALUE	PASS/FAIL
Total Cannabinoids	0.5790 %	
Total CBD	0.3484 %	
Total THC	0.1914 %	




 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **GMV.D9.SAPPR10-IE12**
 Tested for: **Lazarus Naturals-Oregon**
Quality Control Testing

Laboratory ID: 26E0176-01

Matrix: Products

Sample Metrc ID: N/A

Lot # IE12

Batch RFID: N/A

Batch Size: N/A

Harvest Date: N/A

License: NA

Date Sampled: 05/28/26 00:00

Date Accepted: 05/28/26




Potency Analysis

Date Extracted: 05/29/26


Analysis Method: UNODC 5.4.8

Date Analyzed: 06/02/26

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total CBD ((CBDA*0.877)+CBD)	0.3484	3.484	0.0005	
Total THC ((THCA*0.877)+d9)	0.1914	1.914	0.0005	
d9-THC (d9-Tetrahydrocannabinol)*	0.1878	1.878	0.0005	
d8-THC (d8-Tetrahydrocannabinol)*	0.0036	0.036	0.0005	
THCA (d9-Tetrahydrocannabinolic Acid)*	0.0041	0.041	0.0005	
CBD (Cannabidiol)*	0.2126	2.126	0.0005	
CBDA (Cannabidiolic Acid)*	0.1548	1.548	0.0005	
CBN (Cannabinol)	< LOQ	< LOQ	0.0005	
CBG (Cannabigerol)	0.0010	0.01	0.0005	
CBGA (Cannabigerolic Acid)	0.0042	0.042	0.0005	
CBDV (Cannabidivarin)	0.0011	0.011	0.0005	
CBDVA (Cannabidivarinic Acid)	0.0008	0.008	0.0005	
CBC (Cannabichromene)	0.0017	0.017	0.0009	
CBCA (Cannabichromenic Acid)	< LOQ	< LOQ	0.0069	
THCV (Tetrahydrocannabivarin)	0.0013	0.013	0.0005	
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	< LOQ	0.0069	
Total Cannabinoids	0.5790	5.79	0.0005	

<LOQ - Results below the Limit of Quantitation


 Justin Miller For Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control


Potency

Batch: B261873 - Potency/Terpenes

Blank(B261873-BLK1)			Extracted - 05/29/26 11:20 Analyzed - 06/02/26 4:32					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
CBCA (Cannabichromenic Acid)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%						

Duplicate(B261873-DUP1)			Extracted - 05/29/26 11:20 Analyzed - 06/02/26 4:40					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.188	%		0.188			0.0167	20
d8-THC (d8-Tetrahydrocannabinol)	0.003	%		0.004			8.26	20
THCA (d9-Tetrahydrocannabinolic Acid)	0.004	%		0.004			1.52	20
CBD (Cannabidiol)	0.212	%		0.213			0.372	20
CBDA (Cannabidiolic Acid)	0.155	%		0.155			0.200	20
CBN (Cannabinol)	0.0003	%		0.0003			7.26	20
CBG (Cannabigerol)	0.001	%		0.001			8.74	20
CBGA (Cannabigerolic Acid)	0.004	%		0.004			4.17	20
CBDV (Cannabidivarin)	0.001	%		0.001			8.63	20
CBDVA (Cannabidivarinic Acid)	0.0008	%		0.0008			0.436	20
CBC (Cannabichromene)	0.002	%		0.002			2.94	20
CBCA (Cannabichromenic Acid)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	0.001	%		0.001			13.5	20
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%		< LOQ				20

LCS(B261873-BS1)			Extracted - 05/29/26 11:20 Analyzed - 06/01/26 23:30					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit



Justin Miller For Breeanna Hamilton
 Lab Director


Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Potency (Continued)

Batch: B261873 - Potency/Terpenes (Continued)

LCS(B261873-BS1)		Extracted - 05/29/26 11:20 Analyzed - 06/01/26 23:30						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.024	%	0.0249		98.1	90-110		
d8-THC (d8-Tetrahydrocannabinol)	0.026	%	0.0277		95.3	90-110		
THCA (d9-Tetrahydrocannabinolic Acid)	0.025	%	0.0261		93.8	90-110		
CBD (Cannabidiol)	0.031	%	0.0311		98.1	90-110		
CBDA (Cannabidiolic Acid)	0.033	%	0.0327		99.7	90-110		
CBN (Cannabinol)	0.0008	%				80-120		
CBG (Cannabigerol)	0.001	%				80-120		
CBGA (Cannabigerolic Acid)	0.0006	%				80-120		
CBDV (Cannabidivarin)	0.0008	%				80-120		
CBDVA (Cannabidivarinic Acid)	0.0003	%				80-120		
CBC (Cannabichromene)	< LOQ	%				80-120		
CBCA (Cannabichromenic Acid)	< LOQ	%				80-120		
THCV (Tetrahydrocannabivarin)	< LOQ	%				80-120		
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%				80-120		



Justin Miller For Breeanna Hamilton
 Lab Director


Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

ANALYZED BY:

Anresco Laboratories
 1375 Van Dyke Avenue,
 San Francisco, CA 94124
 DEA# PA0202945

CUSTOMER:

Lazarus Naturals
 Attn: Sequoia Price-Lazarus/Evan
 1116 NW 51st Street
 Seattle, WA 98107


SAMPLE INFORMATION

Sample No.: 1416807
Product Name: IE12 Secondaries
Matrix: Edible (Gummy)
Lot #: GMY.D9.SAPPR10

Date Collected: 06/02/2026
Date Received: 06/02/2026
Date Reported: 06/08/2026

TEST SUMMARY

Microbiological Screen: ✔ Pass **Pesticide Residue Screen:** ✔ Pass
Residual Solvent Screen: ✔ Pass **Heavy Metal Screen:** ✔ Pass

Microbiological Screen ✔ Pass

06/08/2026

Method: FDA BAM

Analyte	Findings	Units	Instrument	Limit	Status
Coliforms	<10	cfu/g	-	Not Detected	Pass
E. coli	<10	cfu/g	-	Not Detected	Pass
Salmonella	Not Detected	/10g	Molecular Detection System	-	-
Standard Plate Count	<10	cfu/g	-	-	-
STEC	Not Detected	/10g	Molecular Detection System	-	-
Total Yeast and Mold	<10	cfu/g	-	-	-

Pesticide Residue Screen ✔ Pass

06/04/2026

Method: MF-CHEM-13

Regulatory Standard* DCC

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)*	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentazine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)*	Status
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Residual Solvent Screen ✔ Pass

06/04/2026

Method: MF-CHEM-32

Regulatory Standard* DCC

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	2850.00	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen ✔ Pass

06/04/2026

Method: MF-CHEM-16

Regulatory Standard* DCC

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Arsenic	0.033/0.101	ND	1.5	Pass
Cadmium	0.047/0.141	ND	0.5	Pass
Mercury	0.014/0.05	ND	3	Pass
Lead	0.107/0.324	ND	0.5	Pass

ND = None Detected
 LOD = Limit of Detection
 LOQ = Limit of Quantitation

Reported by




Vu Lam
 Lab Co Director



Scan to verify